

Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application:

Claims 1 - 11 (canceled)

12. (currently amended) In a beverage preparation apparatus using heated water for producing a beverage reservoir, a reservoir for containing and dispensing heated water comprising:

a housing defining a chamber therein;

a water heater associated with the housing for heating the water in the chamber;

at least one inlet port communicating with the chamber for introducing water into the chamber;

~~at least one outlet port communicating with the chamber for dispensing water from the chamber;~~

at least one baffle structure positioned inside the chamber, ~~proximate to at least one outlet port~~  
the at least one baffle structure having a wall at least partially defining a cavity, the cavity communicating with the chamber;

at least one outlet port extending through the housing proximate to and communicating directly with the lower portion of the cavity defined by the baffle structure for dispensing water flowing from the chamber to the cavity;

~~the at least one baffle structure having a wall at least partially defining a cavity, the cavity communicating with the chamber, the cavity communicating directly with the outlet port through the housing in a lower portion of the cavity, an upper edge of the wall defining a mouth through which water is received from the chamber into the cavity for dispensing through the outlet port~~  
outlet port, wherein water must pass from the chamber through the mouth to flow to the cavity for dispensing from the outlet port.

13. (original) The beverage preparation apparatus using heated water for producing a beverage reservoir as in claim 12, further comprising: a tube extending from the outlet port; a receiver for receiving heated water from the tube and for receiving a beverage substance for mixing with the heated water for producing a beverage therefrom.

14. (original) The beverage preparation apparatus of claim 13, further comprising: the receiver being a brewing funnel for receiving a quantity of beverage brewing substance therein, the tube delivering heated water for infusing the beverage brewing substance for producing a brewed beverage.

15. (original) The beverage preparation apparatus of claim 13, further comprising: the receiver being a mixing chamber for receiving a quantity of beverage brewing substance therein, a beverage substance dispenser for dispensing a beverage substance to the mixing chamber for mixing the beverage substance with heated water in the mixing chamber for producing a beverage.

16. (original) The beverage preparation apparatus of claim 13, further comprising: an inlet control device communicating with the inlet line for controlling the introduction of water to the reservoir.

17. (original) The beverage preparation apparatus of claim 16, further comprising:

a controller;

the inlet control device being a controllable valve coupled to the inlet line and coupled with the controller for controllably operating the inlet control valve to controllably introduce water to the reservoir.

18. (original) The beverage preparation apparatus of claim 13, further comprising: an outlet control device communicating with the outlet line for controlling the dispensing of water to the reservoir.

19. (original) The beverage preparation apparatus of claim 18, further comprising: a controller; the outlet control device being a controllable valve coupled to the outlet line and coupled with the controller for controllably operating the outlet control valve to controllably dispense water from the reservoir.

20. (currently amended) A beverage preparation apparatus using heated water for producing a beverage, the beverage preparation apparatus comprising:

a reservoir for receiving, containing and heating water;

a housing of said reservoir defining a chamber therein;

a controller for controlling operation of the beverage preparation apparatus;

a water heater associated with the housing for heating the water in the chamber, the water heater being coupled to the controller;

at least one inlet port communicating with the chamber for introducing water into the chamber;

an inlet control device communicating with the inlet port and coupled to the controller for controlling the introduction of water to the reservoir;

~~at least one outlet port communicating with the chamber for dispensing water from the chamber;~~

~~an outlet control device communicating with the inlet line and coupled to the controller for controlling the dispensing of water from the reservoir;~~

~~a tube extending from the outlet port;~~

~~a receiver for receiving heated water from the tube and for receiving a beverage substance for mixing with the heated water for producing a beverage therefrom;~~

at least one baffle structure positioned inside the ~~chamber proximate to the at least one outlet port~~ chamber, the at least one baffle structure having a wall at least partially defining a cavity, the cavity communicating with the chamber;

at least one outlet port extending through the housing proximate to and communicating directly with the lower portion of the cavity defined by the baffle structure for dispensing water flowing from the chamber to the cavity;

an outlet control device communicating with the inlet line and coupled to the controller for controlling the dispensing of water from the reservoir;

a tube extending from the outlet port;

~~the at least one baffle structure having a wall at least partially defining a cavity, the cavity communicating with the chamber and the cavity communicating directly with the outlet port through the housing in a lower portion of the cavity;~~ an upper edge of the wall defining a mouth through which water is received from the chamber into the cavity for dispensing through the ~~outlet port~~ outlet port, wherein water must pass from the chamber through the mouth to flow to the cavity for dispensing from the outlet port;

a receiver for receiving heated water from the tube and for receiving a beverage substance for mixing with the heated water for producing a beverage there from.

21. (original) The beverage preparation apparatus of claim 20, further comprising: the receiver being a brewing funnel for receiving a quantity of beverage brewing substance therein, the tube delivering heated water for infusing the beverage brewing substance for producing a brewed beverage.

22. (original) The beverage preparation apparatus of claim 20, further comprising: the receiver being a mixing chamber for receiving a quantity of beverage brewing substance therein, a beverage substance dispenser for dispensing a beverage substance to the mixing chamber for mixing the beverage substance with heated water in the mixing chamber for producing a beverage.

23. (original) The beverage preparation apparatus of claim 20, further comprising: the inlet control device being a controllable valve coupled to the inlet line and coupled with the controller for controllably operating the inlet control valve to controllably introduce water to the reservoir.

24. (original) The beverage preparation apparatus of claim 20, further comprising: the outlet control device being a controllable valve coupled to the outlet line and coupled with the controller for controllably operating the outlet control valve to controllably dispense water from the reservoir.

25. (canceled)

26. (canceled)

27. (previously presented) The reservoir of claim 20 further comprising the wall of the baffle defining a generally tubular structure communicating with the chamber and with one corresponding outlet port.

28. (original) The reservoir of claim 20 further comprising at least one inlet port being positioned in a lower portion of the reservoir.

29. (original) The reservoir of claim 20 further comprising at least one inlet port being positioned in an upper portion of the reservoir.

30. (original) The reservoir of claim 20 the heating means further comprising a heating element retained in the reservoir for heating water disposed therein.

31. (canceled)

32. (original) The reservoir of claim 20 further comprising a dispensing faucet communicating with the outlet port.

33. (currently amended) A heated water dispensing apparatus comprising:

a reservoir for receiving, containing and heating water;

a housing of said reservoir defining a chamber therein;

a controller for controlling operation of the heated water dispensing apparatus;

a water heater associated with the housing for heating the water in the chamber, the water heater being coupled to the controller;

at least one inlet port communicating with the chamber for introducing water into the chamber;

an inlet control device communicating with the inlet line and coupled to the controller for controlling the introduction of water to the reservoir;

~~at least one outlet port communicating with the chamber for dispensing water from the chamber;~~

~~an outlet control device communicating with the inlet line and coupled to the controller for controlling the dispensing of water from the reservoir; a controllable dispensing faucet communicating with the outlet port for controllably dispensing heated water from the apparatus;~~

~~at least one baffle structure positioned inside the chamber proximate to at least one outlet port having a wall at least partially defining a cavity, the cavity communicating with the chamber;~~

at least one outlet port extending through the housing proximate to and communicating directly with the lower portion of the cavity defined by the baffle structure for dispensing water flowing from the chamber to the cavity, the outlet port dispensing water from the chamber;

~~the at least one baffle structure having a wall at least partially defining a cavity, the cavity communicating with the chamber and the cavity communicating directly with the outlet port through the housing in a lower portion of the cavity,~~

~~an upper edge of the wall defining a mouth through which water is received from the chamber into the cavity for dispensing through the ~~outlet port~~ outlet port, wherein water must pass from the chamber through the mouth to flow to the cavity for dispensing from the outlet port;~~

~~an outlet control device communicating with the inlet line and coupled to the controller for controlling the dispensing of water from the reservoir; and~~

~~a controllable dispensing faucet communicating with the outlet port for controllably dispensing heated water from the apparatus.~~

34. (original) The beverage preparation apparatus of claim 33, further comprising: the inlet control device being a controllable valve coupled to the inlet line and coupled with the controller for controllably operating the inlet control valve to controllably introduce water to the reservoir.

35. (original) The beverage preparation apparatus of claim 33, further comprising: the outlet control device being a controllable valve coupled to the outlet line and coupled with the controller for controllably operating the outlet control valve to controllably dispense water from the reservoir.

36. (canceled)

37. (original) The reservoir of claim 33 further comprising the wall of the baffle defining a generally tubular structure communicating with the chamber and with at least one outlet port.

38. (canceled)

39. (original) The reservoir of claim 33 further comprising at least one inlet port being positioned in a lower portion of the reservoir.

40. (original) The reservoir of claim 33 further comprising at least one inlet port being positioned in an upper portion of the reservoir.

41. (original) The reservoir of claim 33 the heating means further comprising a heating element retained in the reservoir for heating water disposed therein.

Claims 42 -45 (canceled)